

FRONT WEIGHT



FITS ANY
TRACTOR
WITH A FRONT
LINKAGE.

SUMO



OVER 650
IN USE ON
UK FARMS

FRONT SUMO

T +44 (0) 1759 319900

www.sumo1.com

Sumo Front Weight

The Sumo Front Weight is a multipurpose implement to fit any tractor with a front linkage. Designed and manufactured in Britain, the Sumo Front Weight has several features;

Used as ballast the Sumo Front Weight adds 1000kg, 1500kg, 2000kg, or 2500kg to the tractor front end. This helps maximise pulling power of the tractor, considerably reduces front tyre wear in the field and balances the tractor on the road when moving heavy loads.

- With a low, wide profile the Sumo Front Weight is easily visible to the tractor driver and other road users reducing the chance of minor collisions.



- The integral toolbox on the Sumo Front Weight can be used to store or carry many items, from tools to wearing parts etc.



- The lockable lid makes it an ideal place to store valuable components.



- All Front Weights are available in red with a black lid, or black with a red lid.

- The LED marker lights fitted as standard are positioned to be equally bright from the front or side. These provide a safe and visible indication of the weight both on the road and at junctions in low lighting.



- The name plate on the Front Weight can be personalised with your name.



- Towing point as standard

MODEL
1000kg Version
1500kg Version
2000kg Version
2500kg Version

Front Sumo



Since the first SUMO was manufactured 21 years ago, over 650 have been made and are currently in use on UK farms.

When used in conjunction with either wide, low pressure or dual wheels, the SUMO gives an even consolidation across the whole

width on a three or four metre system, by eliminating the loose fluffy strip between the wheels.

- Without tines, the press weighs 1.25t and acts as a considerable counter balance for rear mounted equipment.



- The ripper tines all have pin depth adjustment and shearbolt protection and are run in either the vertical or laid-back position.



- As an integral part of the frame, the SUMO has ripper tine brackets and wing mounting points to allow the addition of 1.5, 3.0 or 4.0 metres of tines.



- Both the three and four metre models manually fold for transport.




MODEL	WORKING WIDTH	TRANSPORT WIDTH	TOTAL TINES
Front Sumo 1.5	1.5m	2.3m	0
Front Sumo 1.5 + 3m tines	3.0m	2.3m	10
Front Sumo 1.5 + 4m tines	4.0m	2.3m	14

THE SUMO RANGE


Sumo are a UK company specialising in the design and manufacture of innovative cultivation equipment for the farming industry around the world. British designed and British built, all machines start life at our factory, giving us complete control of all we do.

All our equipment features innovative design coupled with renowned Sumo build quality to give both reliability and efficiency. The Sumo range offers equipment to suit all budgets and requirements to maximise the cost-effectiveness of cultivations on your farm.

Mixidisc



LDS



Rippa



DTS




Strake




Trailed Subsoiler



Trailed Folded Trio



Mounted Subsoiler



Sumoseeder



Mounted Trio



Trailed Rigid Trio



Quatro



Front Sumo



GLS



Sumo Front Weight



SUMO



Sumo UK Ltd
Redgates, Melbourne,
York, YO42 4RG



T +44 (0) 1759 319900
F +44 (0) 1759 319901
E sales@sumo1.com

www.sumo1.com

Your SUMO dealer

Sumo UK Ltd reserve the right to make any alterations without prior notice. All specifications are to be used as guides only. A full version of Sumo UK Ltd Terms & Conditions of Business is available on request.